
TOA JUST:IN MAC PRO 2026.0 BOILERPLATE

**Additional information about the just:in mac pro Capture Solution for macOS.
To be used for RFI, RFP or Web Shop descriptions.**

v.2.0 – APRIL 2026

Disclaimer

ToolsOnAir Broadcast Engineering GmbH (“TOA”) provides this document “as is” without warranty of any kind, either expressed or implied.

This document may contain technical inaccuracies or typographical errors. While every precaution has been taken in the preparation of this document to ensure that it contains accurate and up-to-date information, the publisher and author assume no responsibility for errors or omissions. TOA’s policy is one of continual development, so the information reflected in this document is subject to periodic changes without notice. TOA may improve and/or apply changes to the product(s) and/or the solution(s) described in this document at any time.

Table of Contents

1	CHANGE LOG:	3
2	PRODUCT DESCRIPTION: JUST IN: MAC PRO 2026	4
2.1	Title:.....	4
2.2	SKU:	4
2.3	Ideal for:.....	4
2.4	Description:	4
2.5	Concept:.....	4
2.6	Reliability & Flexibility:.....	4
2.7	Product Deployment:.....	5
2.8	Key Features:	5
3	TECHNICAL DATA (SUPPORTED CONTAINERS & CODECS):	6
3.1	AVFoundation QuickTime (PAL, NTSC, HD, UHD/4K):	6
3.2	Classic QuickTime (HD, UHD):.....	6
3.3	Harmonized QuickTime (HD, UHD):	6
3.4	MXF (PAL, NTSC, HD, UHD/4K):	6
3.5	MP4 (PAL, NTSC, HD, UHD/4K):	7
4	SYSTEM REQUIREMENTS	7
5	COMPATIBILITY MATRIX	7
6	WORKFLOW DIAGRAM	8
7	WORKFLOW OVERVIEW:	9
8	RELATED LINKS AND ADDITIONAL INFORMATION:	10

1 Change Log:

Date	Version	Changed by	Changes
03.04.2026	2.0	MGR	Updates/changes: <ul style="list-style-type: none"> Updated feature set and compatibility matrix for version 2026.0 Updated workflow diagram and overview.
01.12.2025	1.8	MGR	Updates/changes: <ul style="list-style-type: none"> Updated feature set and compatibility matrix for version 2025.3. Updated workflow diagram and overview.
18.04.2025	1.7	MGR	Updates/changes: Updated feature set and compatibility matrix for version 2025.2.
17.02.2025	1.6	MGR	Updates/changes: <ul style="list-style-type: none"> Updated feature set and compatibility matrix for version 2025.1.
18.12.2024	1.5	MGR	Updates/changes: <ul style="list-style-type: none"> Updated Blackmagic Design DeckLink driver information.
14.10.2024	1.4	MGR	Updates/changes: <ul style="list-style-type: none"> Updated feature set and compatibility matrix for macOS Sequoia Added Workflow Diagram
02.09.2024	1.3	MGR	Updates/changes: <ul style="list-style-type: none"> Revised descriptions for better readability Updated specifications and descriptions to reflect the current software release.
27.07.2024	1.2	MGR	Updates/changes: <ul style="list-style-type: none"> Updated TOC Sections for better readability Revised descriptions for better readability Updated specifications and descriptions to reflect the current software release.
12.09.2020	1.1	MGR	Updates/changes: <ul style="list-style-type: none"> Updated TOC Sections for better readability Revised descriptions for better readability
13.07.2020	1.0	MGR	Initial Draft

2 Product Description: Just in: Mac Pro 2026

2.1 Title:

ToolsOnAir **just:in mac pro 2026**- multichannel client-server-based capture solution for macOS.

2.2 SKU:

Licenses: JIM-1-LC, JIM-4-LC, JIM-8-LC

2.3 Ideal for:

- Multichannel client-server-based broadcast recording on macOS with support for SD/HD/UHD resolutions, automatic signal and format detection, and SDI/HDMI/NDI[®]/SRT/UDP/ST-2110 input sources.
- Crash, Batch, and Schedule recordings with growing file support.
- Multicamera ISO recording with automatic EDL-to-XML conversion and automatic video/audio timeline alignment within Adobe Premiere Pro, Apple Final Cut Pro and DaVinci Resolve (v.18/19/20).
- Dual instance recording (High-Res and Proxy) and XML metadata sidecar file creation.
- REST API based third-party integrations.

2.4 Description:

just:in mac pro 2026 is a macOS-based client-server multi-channel capture solution designed to record SDI, HDMI, NDI[®], SRT, UDP, ST-2110, VTR and multicamera sources using Crash, Batch, or Schedule recording modes.

As of version 2025.2 just:in mac pro is fully optimized to run exclusively on Apple silicon chipsets (M1-M5).

2.5 Concept:

Designed to fit seamlessly into any TV station or post-production facility, **just:in mac pro 2026** captures multiple video sources directly into industry-standard MOV, MXF OP1a, and MP4 containers with growing file support. The native support for professional codecs like ProRes, XDCAM HD 422, AVC-Intra, XAVC-Intra/LongGOP, H.264, HEVC and DNxHD/HR, ensures maximum compatibility and effortless integration into your existing workflows. Whether you're working with baseband signals or IP streams, **just:in mac pro 2026** unites single- and multichannel recording, including automatic signal format detection, in one powerful, flexible, and scalable client-server solution—purpose-built for modern media production environments.

2.6 Reliability & Flexibility:

just:in mac pro 2026 is built for 24/7 deployment and easily adapts to the shifting requirements of time-sensitive broadcast production environments. Featuring multiple destinations for either parallel recording or out-of-storage/network connection loss prevention scenarios, **just:in mac pro 2026** ensures that your recordings are compliant with broadcast standards, safe, and secure. Customizable presets allow operators to quickly switch between commonly used setups. The ability to use two or more concurrent capture instances also makes **just:in mac pro 2026** the ideal capture solution for MAM integration, where High-Res and Proxy files can be generated at the same time and delivered as a logical package. It is also ideal for growing file editing in combination with industry standard NLEs such as Adobe Premiere Pro, Apple Final Cut Pro or DaVinci Resolve (please refer to the related NLE vendor codec/container compatibility list). Using the integrated XML writer engine, operators can customize XML exports by generating XML sidecar files with descriptive metadata to accompany MOV and MXF files. With the addition of Markers support for Adobe Premiere Pro, operators can log marker information while recording and have these markers automatically displayed in Adobe Premiere Pro's timeline for efficient post-production editing.

Finally, by using the **TOA REST API** to remotely control the **just:in mac pro 2026** solution, customers, and system integrators gain the flexibility to integrate **just:in mac pro 2026** into existing media infrastructures with ease.

2.7 Product Deployment:

just:in mac pro 2026 is a true client-server capture solution for macOS. With the built-in video, audio, and closed captions previews and the single/multichannel control application, namely **Just Control**, the operator can control all available capture machines from a single interface. The deployment and configuration of the **just:in mac pro 2026** solution is straightforward and intuitive and consists of two applications, which can either be installed on a single machine or distributed on multiple macOS-based machines. **Version 2026 introduces an automated signal and format detection mode to ease the deployment and initial setup.**

The applications are called:

- **Just In Engine.app**
- **Just Control.app**

and installed, via drag-and-drop from the DMG package, in the specific “**Applications**” folder of the corresponding macOS system. Additionally, the **Just Control** application has a configuration panel (“**Just Control Configuration**”), which is used to perform all **Channel** and **Just In Engine**-related settings.

The **Just In Engine** application interfaces with supported video hardware devices (AJA and Blackmagic Design) as well as NDI®, SRT, UDP, and ST 2110 streams and is responsible for encoding and writing video and associated metadata files to the designated destination(s). Once launched, it operates in the background, with all configuration and control managed via the **Just Control** application. The **Just In Engine** can be deployed either on the same system as **Just Control** or on a dedicated macOS machine, providing flexible and scalable client-server deployment options.

The **Just Control** application is the versatile single/multichannel control application for both our capture and playout solutions. With built-in video, audio, closed captions previews, and a feature-aware inspector, the operator can control all available capture and playout channels from a single user interface.

The **Just Control Configuration** panel lists all connected **Just In Engines** and available **Channels** (=Inputs). Within this panel, the **Just In Engine** and **Channel** settings can be adjusted, and all kinds of Presets (Capture, Destination, Naming, Metadata, Events) can be created and modified.

2.8 Key Features:

- Available as single- or multi-channel configurations with automatic signal format detection and online license activation.
- Frame accurate Crash, Batch, Schedule as well as Split-While-Recording, Infinite Chunk recording functionality, Dynamic Folder Creation and Dropped Frames Strategy.
- Growing File support in Adobe Premiere Pro, Final Cut Pro, DaVinci Resolve (please refer to the NLE vendor codec/container compatibility listings).
- SDI, HDMI, NDI®, SRT, UDP, and ST-2110 Input Sources support. HLS (HTTP Live Streaming) output.
- Broadcast Standard Format and Container Support (MOV, MXF, ARD/ZDF MXF, MP4).
- Timecode support for: Computer Time, VTR, LTC over Audio (USB device), Capture card LTC (AJA), SDI Embedded.
- Multi-camera production support in combination with the built-in **live:cut** option.
- Closed Captions and SCC sidecar file support.
- Customizable end-of-recording based on timecode entry and support for external timecode sources.
- External Audio Source processing and Bitfocus Companion integration.
- Support for post-recording actions using customizable shell scripts (e.g., FTP upload or MAM connections).

- Support for customizable XML metadata (XML sidecar files) as well as native QuickTime metadata entries.
- Integrates with Iconik, HELMUT 4, medialoopster, projective Strawberry, and many more.
- TOA REST API for remote control and third-party integration flexibility.

3 Technical Data (Supported Containers & Codecs):

3.1 AVFoundation QuickTime (PAL, NTSC, HD, UHD/4K):

- DV-PAL
- DVCPRO, DVCPRO50, DVCPRO HD
- XDCAM EX, XDCAM HD (35) XDCAM HD 422 (50)
- Apple ProRes 422, LT, Proxy, HQ
- Apple ProRes 4444 (with alpha)
- H.264
- HEVC (H.265)
- Supported frame rates: 23.976, 24, 25, 29.97, 30, 50, 59.94, 60

3.2 Classic QuickTime (HD, UHD):

- Apple ProRes 422, LT, Proxy, HQ
- Apple ProRes 4444 (with alpha)
- Supported frame rates: 23.976, 24, 25, 29.97, 30, 50, 59.94, 60
- Supports Growing Files editing within the MOV container in Adobe Premiere Pro

3.3 Harmonized QuickTime (HD, UHD):

- Apple ProRes 422, LT, Proxy, HQ
- Apple ProRes 4444 (with alpha)
- Supported frame rates: 23.976, 24, 25, 29.97, 30, 50, 59.94, 60
- Supports Growing Files editing within the MOV container in DaVinci Resolve 19/20

3.4 MXF (PAL, NTSC, HD, UHD/4K):

- DV-PAL
- DVCPRO, DVCPRO50, DVCPRO HD
- IMX 30/40/50
- Apple ProRes 422, LT, Proxy, HQ
- Apple ProRes 4444 (with alpha)
- XDCAM EX, XDCAM HD (35) XDCAM HD 422 (50)
- ARD/ZDF MXF (HDF01a/b and XDF-01)
- AVC-Intra 50M/100M
- XAVC-Intra 50M/100M/200M
- XAVC Long-Gop 422
- Avid DNxHD, DNxHR
- Supported frame rates: 23.976, 24, 25, 29.97, 30, 50, 59.94, 60

3.5 MP4 (PAL, NTSC, HD, UHD/4K):

- H.264
- H.265/HEVC
- Supported frame rates: 23.976, 24, 25, 29.97, 30, 50, 59.94, 60

4 System Requirements


- Apple Mac mini, iMac, Mac Studio, Mac Book Pro, Mac Pro 2023 (EOL/EOS) – **Apple silicon (M1-M5)**.
- Apple macOS Sequoia and macOS Tahoe are recommended for daily operations.
- Support for AJA and Blackmagic Design (“BMD”) video devices (SDI, HDMI, ST-2110-BMD)
- For detailed system requirements, please consult the online user manual or contact ToolsOnAir at <https://support.toolsonair.com>

5 Compatibility Matrix


Version	macOS Tahoe (26.4.x)		macOS Sequoia (15.7.x)		macOS Sonoma (14.8.x)		macOS Ventura (13.7.x)		macOS Monterey (12.7.6)	
2026.0	Apple silicon only		Apple silicon only		Please update to macOS Sequoia or higher for maximum compatibility!		Not available. Please update to macOS Sequoia or higher!		Not available. Please update to macOS Sequoia or higher!	
	AJA	BMD	AJA	BMD						
	17.1.x	16.0	17.1.x	16.0						
Version	macOS Tahoe (26.3.x)		macOS Sequoia (15.7.x)		macOS Sonoma (14.8.x)		macOS Ventura (13.7.x)		macOS Monterey (12.7.6)	
2025.3	Apple silicon only		Apple silicon only		Apple silicon only		Please update to macOS Sonoma or higher for maximum compatibility!		Not available. Please update to macOS Sonoma or higher!	
	AJA	BMD	AJA	BMD	AJA	BMD				
	17.1.x	15.3.1	17.1.x	15.3.1	17.1.x	15.2				
Version	macOS Sequoia (15.6.x)		macOS Sonoma (14.7.x)		macOS Ventura (13.7.x)		macOS Monterey (12.7.6)		macOS Big Sur (11.7.10)	
2025.2	Apple silicon only		Apple silicon only		Apple silicon only		Please update to macOS Sonoma or higher for maximum compatibility!		Not available. Please update to macOS Sonoma or higher!	
	AJA	BMD	AJA	BMD	AJA	BMD				
	17.1.x	14.5	17.1.x	14.5	17.1.x	14.4.x				
Version	macOS Sequoia (15.4.x)		macOS Sonoma (14.6.x)		macOS Ventura (13.7.x)		macOS Monterey (12.7.6)		macOS Big Sur (11.7.10)	
2025.1	Apple silicon preferred		Intel / Apple silicon		Intel / Apple silicon		Please update to macOS Sonoma or higher for maximum compatibility!		Not available. Please update to macOS Sonoma or higher!	
	AJA	BMD	AJA	BMD	AJA	BMD				
	17.1.x	14.5	17.1.x	14.5	17.1.x	14.4.x				
Version	macOS Sequoia (15.3.x)		macOS Sonoma (14.7.x)		macOS Ventura (13.7.x)		macOS Monterey (12.7.6)		macOS Big Sur (11.7.10)	
6.5	Apple silicon preferred		Intel / Apple silicon		Intel / Apple silicon		Intel / Apple silicon		Not available.	
	AJA	BMD	AJA	BMD	AJA	BMD	AJA	BMD		
	17.1.x	14.2.1	17.1.x	14.2.1	17.1.x	12.9	17.1.x	12.7.x		

Legend: BMD = Blackmagic Design, Not available: version not available or incompatible with the displayed macOS version. All driver versions displayed are the recommended/tested versions.
NOTE: All updates and upgrades mentioned are available to customers with an active support and software maintenance contract. To renew your maintenance contract, please contact sales@toolsonair.com

6 Workflow Diagram



7 Workflow Overview:



8 Related links and additional information:

ToolsOnAir Solutions Overview: <https://www.toolsonair.com/files/TOA/Whitepapers/TOAOverview2026.pdf>

just:in mac pro 2026 Landing Page: <https://www.toolsonair.com/products/just-in-mac-recording.html>

just:in mac pro 2026 Datasheet: https://www.toolsonair.com/files/TOA/Whitepapers/datasheet_jimpro2026.pdf

just:in mac pro 2026 Manuals: [just:in mac v.2026.x](#)

just:in mac pro 202x Tutorial Videos: https://www.youtube.com/playlist?list=PLicnJKzn2pLjXjwC7788bNzi1tP_t_SzX